



Visualize. Improve. Sustain.



Slips, Trips & Falls

Signs • Posters • Decals • Banners • And More!

(877) 523-4088

www.visualworkplaceinc.com

Visual Workplace supports the prevention of slips, trips & falls with visual communications!



**Free
Customization**



**Customer
Satisfaction
Guaranteed**



Call (877) 523-4088 or visit
www.visualworkplaceinc.com



Visual Workplace
is a leading provider of innovative
visual communications that
deliver a platform of continuous
improvement and drive
sustainability across all industries.

Table of Contents

Introduction.....	4
Top 10 OSHA Violations.....	5
Sign Materials	6
Ladder Lockout Kit.....	7
Overlays & Dry Erase Boards.....	8-9
Visual Sign Shop	10
Floor Decals	11
Slips	12-13
Trips	14-15
Falls	16-17
Motivational Safety Posters.....	18
Banners	19
Contributing Factors	20-21
Footwear	
Safety Procedures	
Good Housekeeping	
Floor Tape	22-23
Safety Cones & Barricade Tape	23
A-Frame Signs	24
LabelTac Printer.....	25



Visual Communication for Slip, Trip & Fall Prevention

Visual Workplace supports the industry by visualizing, improving and sustaining a safe, efficient work environment.

In any fast-paced industry, companies continually strive to improve employee safety. Implementing a comprehensive safety plan can prevent adverse events.

One major tool in any prevention situation is to have approved visual communications.

Visual Workplace has the solutions to create information centers, huddle boards, directional signage, floor decals and safety labeling for

preventative communication needs. Floor decals direct employees to take caution in specific areas and provide a reminder of prevention procedures.

Visual communication tools are integral to all companies dealing with any type of slip, trip or fall situation. Visual Workplace will help you visualize your goals, improve your processes and sustain a safe environment for your employees.



TOP 10

Most Cited OSHA Violations and How to Prevent Them

A Robust Safety Plan

Investing in solutions to prevent workplace injury keeps workers safe, increases productivity and avoids costly OSHA fines.

1		Fall Protection, General Requirements	Fall protection must be provided at elevations of 4-ft. in general industry and 6-ft. in construction.
2		Respiratory Protection	Establish or maintain a respiratory protection program with requirements for worksite specific procedures, training, fit testing, respirator use, cleaning, maintenance and repair.
3		Ladders	Provide training to minimize fall hazards.
4		Scaffolds, General Requirements	Protect employees from falls of 10-ft. or higher.
5		Hazard Communication	Comply with chemical hazard communication requirements.
6		Lockout/Tagout	Control hazardous energy during service and maintenance of machines and equipment.
7		Fall Protection, Training	Require a training program for each employee exposed to fall hazards.
8		Personal Protective and Life Saving Equipment, Eye and Face Protection	Provide PPE to workers exposed to eye or face hazards.
9		Powered Industrial Trucks	Require operator training and evaluation to avoid accidents.
10		Machine Guarding	Warn operators and other employees about machinery hazards.

Sign Materials

Choose from a large selection of materials to meet specific needs.

Dry Erase Board Overlays – Magnetic and Non-Magnetic

- Magnetic or Non-Magnetic
- Printed on a thin, durable acrylic sheet with a frame that attaches to a dry erase board
- Graphics printed on back to eliminate fading

Self-Adhesive Vinyl Decal

- Peel and stick backing, flexible vinyl film (curved or flat surfaces)
- Outdoor durability: 2 to 4 years
- Apply to clean, dry, smooth surfaces

Plastic

- Lightweight, yet rigid and durable
- Rounded corners
- Indoor use

Aluminum

- Rounded corners
- Rust resistant
- Outdoor durability: 5 to 7 years

Banner/Fence Banner

- Outdoor use, durable, hemmed with grommets
- Various sizes available

Reflective Aluminum

- Engineer grade sheeting
- Standard .118-gauge aluminum composite
- Standard mounting holes and corner radiuses
- Meets DOT and MUTCD guidelines
- 10-year outdoor durability





Keep hazards to a minimum

LADDER LOCKOUT KIT

Create a safe working environment!

Ladder Lockout sign folds over a rung to be visible on both sides of the ladder. When locked in place, it measures 42"h x 13"w (full size is 84"h x 13"w). Ideal for stepladders, extendable ladders and other types of climbing apparatuses.

Lock and grommet attachment included.

10 mil PVC/PET

- Non-curing, super smooth
- Tear resistant
- Water resistant
- Lock included
57-2503-1515-A623




Ladder Lockout Kit

SIZE	ITEM #
84" x 13"	60-1941-8413-(+style code)

**CUSTOMIZE IT
FREE**



D115



SA518



C639



N221



**CUSTOMIZE IT
FREE**

Overlays & Dry Erase Boards

Project Management Done Right!

Improvement necessitates measuring performance against the standard. No more hand-made graphics! Printed dry erase boards and overlays assist the team with problem solving and comparing goals to actual performance.

Visual Workplace has many designs to choose from or will customize a design at no additional cost. Simply contact us, and the design team at Visual Workplace will create a design to meet specific needs.

Material Options

Magnetic Dry Erase Boards


Magnetic, frameless dry erase boards are durable .118" steel composite. Graphics are long lasting.

Non-Magnetic Dry Erase Boards

Non-magnetic, frameless dry erase boards are .118" acrylic, which offers excellent clarity, durability and can be used as a dry erase surface.

Dry Erase Board Overlays – Magnetic and Non-Magnetic

- Magnetic or Non-Magnetic
- Printed on a thin, durable acrylic sheet with a frame that attaches to a dry erase board
- Graphics are printed on the backside



Style Code: 085
48 x 36

[illegible]

Style Code: SA510
36 x 48

Hazard Assessment

Problem Area		Problem Area		Problem Area	
What description of hazard?		What description of hazard?		What description of hazard?	
Priority: <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low Included in "Hazardous"? <input type="checkbox"/> Yes <input type="checkbox"/> No Included in "Hazardous"? <input type="checkbox"/> Yes <input type="checkbox"/> No Both and type of incident? _____ Describe the incident: _____		Priority: <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low Included in "Hazardous"? <input type="checkbox"/> Yes <input type="checkbox"/> No Included in "Hazardous"? <input type="checkbox"/> Yes <input type="checkbox"/> No Both and type of incident? _____ Describe the incident: _____		Priority: <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low Included in "Hazardous"? <input type="checkbox"/> Yes <input type="checkbox"/> No Included in "Hazardous"? <input type="checkbox"/> Yes <input type="checkbox"/> No Both and type of incident? _____ Describe the incident: _____	
Date of Assessment: _____ Assessed By: _____ Assessment Findings: _____		Date of Assessment: _____ Assessed By: _____ Assessment Findings: _____		Date of Assessment: _____ Assessed By: _____ Assessment Findings: _____	
Recall Letter: _____ <input type="checkbox"/> Process Improvement <input type="checkbox"/> Appeal <input type="checkbox"/> Disiplinary <input type="checkbox"/> No Action Needed <input type="checkbox"/> Other		Recall Letter: _____ <input type="checkbox"/> Process Improvement <input type="checkbox"/> Appeal <input type="checkbox"/> Disiplinary <input type="checkbox"/> No Action Needed <input type="checkbox"/> Other		Recall Letter: _____ <input type="checkbox"/> Process Improvement <input type="checkbox"/> Appeal <input type="checkbox"/> Disiplinary <input type="checkbox"/> No Action Needed <input type="checkbox"/> Other	

Style Code: SA513
36 x 48

5 WHY ANALYSIS

Problem / Defect

Answer What Caused The Specific Situation

Answer Why The Problem Wasn't Detected

Answer What System Failed

1st WHY?

2nd WHY?

3rd WHY?

4th WHY?

5th WHY?

Style Code: 069
36 x 48

[illegible]

Style Code: 080
36 x 48

MAINTENANCE ACTIVITY					
Date of Changeover	Changeover Type	in		Priority	
Maintenance Activity Description	Time Start	Time Finish	1. How to complete the maintenance 2. What to monitor for completion 3. How to monitor the progress	Progress	Time Took (vehicle)
					1. 10 min
					2. 10 min
					3. 10 min
					4. 10 min
					5. 10 min
					6. 10 min
					7. 10 min
					8. 10 min
					9. 10 min
					10. 10 min
					11. 10 min
					12. 10 min
					13. 10 min
					14. 10 min
					15. 10 min
					16. 10 min
					17. 10 min
					18. 10 min
					19. 10 min
					20. 10 min
					21. 10 min
					22. 10 min
					23. 10 min
					24. 10 min
					25. 10 min
					26. 10 min
					27. 10 min
					28. 10 min
					29. 10 min
					30. 10 min
					31. 10 min
					32. 10 min
					33. 10 min
					34. 10 min
					35. 10 min
					36. 10 min
					37. 10 min
					38. 10 min
					39. 10 min
					40. 10 min
					41. 10 min
					42. 10 min
					43. 10 min
					44. 10 min
					45. 10 min
					46. 10 min
					47. 10 min
					48. 10 min
					49. 10 min
					50. 10 min
					51. 10 min
					52. 10 min
					53. 10 min
					54. 10 min
					55. 10 min
					56. 10 min
					57. 10 min
					58. 10 min
					59. 10 min
					60. 10 min
					61. 10 min
					62. 10 min
					63. 10 min
					64. 10 min
					65. 10 min
					66. 10 min
					67. 10 min
					68. 10 min
					69. 10 min
					70. 10 min
					71. 10 min
					72. 10 min
					73. 10 min
					74. 10 min
					75. 10 min
					76. 10 min
					77. 10 min
					78. 10 min
					79. 10 min
					80. 10 min
					81. 10 min
					82. 10 min
					83. 10 min
					84. 10 min
					85. 10 min
					86. 10 min
					87. 10 min
					88. 10 min
					89. 10 min
					90. 10 min
					91. 10 min
					92. 10 min
					93. 10 min
					94. 10 min
					95. 10 min
					96. 10 min
					97. 10 min
					98. 10 min
					99. 10 min
					100. 10 min

Style Code: 103
36 x 48

SAFETY RECORD

YTD RECORDABLE INJURIES

MONTH DEPT.

CROSSWORD PUZZLE:

GREEN = ACCIDENT FREE


RED = RECORDABLE INJURY

The crossword puzzle grid is 10 squares wide and 10 squares high. The starting squares for the words are:

- Across 1: Row 1, Column 1
- Across 2: Row 2, Column 1
- Across 3: Row 3, Column 1
- Across 4: Row 4, Column 1
- Across 5: Row 5, Column 1
- Across 6: Row 6, Column 1
- Across 7: Row 7, Column 1
- Across 8: Row 8, Column 1
- Across 9: Row 9, Column 1
- Across 10: Row 10, Column 1
- Across 11: Row 1, Column 2
- Across 12: Row 1, Column 3
- Across 13: Row 1, Column 4
- Across 14: Row 1, Column 5
- Across 15: Row 1, Column 6
- Across 16: Row 1, Column 7
- Across 17: Row 1, Column 8
- Across 18: Row 1, Column 9
- Across 19: Row 1, Column 10
- Across 20: Row 2, Column 2
- Across 21: Row 2, Column 3
- Across 22: Row 2, Column 4
- Across 23: Row 2, Column 5
- Across 24: Row 2, Column 6
- Across 25: Row 2, Column 7
- Across 26: Row 2, Column 8
- Across 27: Row 2, Column 9
- Across 28: Row 2, Column 10
- Across 29: Row 3, Column 2
- Across 30: Row 3, Column 3
- Across 31: Row 3, Column 4
- Across 32: Row 3, Column 5
- Across 33: Row 3, Column 6
- Across 34: Row 3, Column 7
- Across 35: Row 3, Column 8
- Across 36: Row 3, Column 9
- Across 37: Row 3, Column 10
- Across 38: Row 4, Column 2
- Across 39: Row 4, Column 3
- Across 40: Row 4, Column 4
- Across 41: Row 4, Column 5
- Across 42: Row 4, Column 6
- Across 43: Row 4, Column 7
- Across 44: Row 4, Column 8
- Across 45: Row 4, Column 9
- Across 46: Row 4, Column 10
- Across 47: Row 5, Column 2
- Across 48: Row 5, Column 3
- Across 49: Row 5, Column 4
- Across 50: Row 5, Column 5
- Across 51: Row 5, Column 6
- Across 52: Row 5, Column 7
- Across 53: Row 5, Column 8
- Across 54: Row 5, Column 9
- Across 55: Row 5, Column 10
- Across 56: Row 6, Column 2
- Across 57: Row 6, Column 3
- Across 58: Row 6, Column 4
- Across 59: Row 6, Column 5
- Across 60: Row 6, Column 6
- Across 61: Row 6, Column 7
- Across 62: Row 6, Column 8
- Across 63: Row 6, Column 9
- Across 64: Row 6, Column 10
- Across 65: Row 7, Column 2
- Across 66: Row 7, Column 3
- Across 67: Row 7, Column 4
- Across 68: Row 7, Column 5
- Across 69: Row 7, Column 6
- Across 70: Row 7, Column 7
- Across 71: Row 7, Column 8
- Across 72: Row 7, Column 9
- Across 73: Row 7, Column 10
- Across 74: Row 8, Column 2
- Across 75: Row 8, Column 3
- Across 76: Row 8, Column 4
- Across 77: Row 8, Column 5
- Across 78: Row 8, Column 6
- Across 79: Row 8, Column 7
- Across 80: Row 8, Column 8
- Across 81: Row 8, Column 9
- Across 82: Row 8, Column 10
- Across 83: Row 9, Column 2
- Across 84: Row 9, Column 3
- Across 85: Row 9, Column 4
- Across 86: Row 9, Column 5
- Across 87: Row 9, Column 6
- Across 88: Row 9, Column 7
- Across 89: Row 9, Column 8
- Across 90: Row 9, Column 9
- Across 91: Row 9, Column 10
- Across 92: Row 10, Column 2
- Across 93: Row 10, Column 3
- Across 94: Row 10, Column 4
- Across 95: Row 10, Column 5
- Across 96: Row 10, Column 6
- Across 97: Row 10, Column 7
- Across 98: Row 10, Column 8
- Across 99: Row 10, Column 9
- Across 100: Row 10, Column 10
- Down 1: Row 1, Column 1
- Down 2: Row 2, Column 1
- Down 3: Row 3, Column 1
- Down 4: Row 4, Column 1
- Down 5: Row 5, Column 1
- Down 6: Row 6, Column 1
- Down 7: Row 7, Column 1
- Down 8: Row 8, Column 1
- Down 9: Row 9, Column 1
- Down 10: Row 10, Column 1
- Down 11: Row 1, Column 2
- Down 12: Row 2, Column 2
- Down 13: Row 3, Column 2
- Down 14: Row 4, Column 2
- Down 15: Row 5, Column 2
- Down 16: Row 6, Column 2
- Down 17: Row 7, Column 2
- Down 18: Row 8, Column 2
- Down 19: Row 9, Column 2
- Down 20: Row 10, Column 2
- Down 21: Row 1, Column 3
- Down 22: Row 2, Column 3
- Down 23: Row 3, Column 3
- Down 24: Row 4, Column 3
- Down 25: Row 5, Column 3
- Down 26: Row 6, Column 3
- Down 27: Row 7, Column 3
- Down 28: Row 8, Column 3
- Down 29: Row 9, Column 3
- Down 30: Row 10, Column 3
- Down 31: Row 1, Column 4
- Down 32: Row 2, Column 4
- Down 33: Row 3, Column 4
- Down 34: Row 4, Column 4
- Down 35: Row 5, Column 4
- Down 36: Row 6, Column 4
- Down 37: Row 7, Column 4
- Down 38: Row 8, Column 4
- Down 39: Row 9, Column 4
- Down 40: Row 10, Column 4
- Down 41: Row 1, Column 5
- Down 42: Row 2, Column 5
- Down 43: Row 3, Column 5
- Down 44: Row 4, Column 5
- Down 45: Row 5, Column 5
- Down 46: Row 6, Column 5
- Down 47: Row 7, Column 5
- Down 48: Row 8, Column 5
- Down 49: Row 9, Column 5
- Down 50: Row 10, Column 5
- Down 51: Row 1, Column 6
- Down 52: Row 2, Column 6
- Down 53: Row 3, Column 6
- Down 54: Row 4, Column 6
- Down 55: Row 5, Column 6
- Down 56: Row 6, Column 6
- Down 57: Row 7, Column 6
- Down 58: Row 8, Column 6
- Down 59: Row 9, Column 6
- Down 60: Row 10, Column 6
- Down 61: Row 1, Column 7
- Down 62: Row 2, Column 7
- Down 63: Row 3, Column 7
- Down 64: Row 4, Column 7
- Down 65: Row 5, Column 7
- Down 66: Row 6, Column 7
- Down 67: Row 7, Column 7
- Down 68: Row 8, Column 7
- Down 69: Row 9, Column 7
- Down 70: Row 10, Column 7
- Down 71: Row 1, Column 8
- Down 72: Row 2, Column 8
- Down 73: Row 3, Column 8
- Down 74: Row 4, Column 8
- Down 75: Row 5, Column 8
- Down 76: Row 6, Column 8
- Down 77: Row 7, Column 8
- Down 78: Row 8, Column 8
- Down 79: Row 9, Column 8
- Down 80: Row 10, Column 8
- Down 81: Row 1, Column 9
- Down 82: Row 2, Column 9
- Down 83: Row 3, Column 9
- Down 84: Row 4, Column 9
- Down 85: Row 5, Column 9
- Down 86: Row 6, Column 9
- Down 87: Row 7, Column 9
- Down 88: Row 8, Column 9
- Down 89: Row 9, Column 9
- Down 90: Row 10, Column 9
- Down 91: Row 1, Column 10
- Down 92: Row 2, Column 10
- Down 93: Row 3, Column 10
- Down 94: Row 4, Column 10
- Down 95: Row 5, Column 10
- Down 96: Row 6, Column 10
- Down 97: Row 7, Column 10
- Down 98: Row 8, Column 10
- Down 99: Row 9, Column 10
- Down 100: Row 10, Column 10

Style Code: 017
24 x 24

SIZE	MATERIAL OPTIONS			
	OVERLAY MAGNETIC	OVERLAY NON-MAGNETIC	NON-MAGNETIC DRY ERASE	MAGNETIC DRY ERASE
24" x 24"	60-1913-2424-(+style code)	60-1914-2424-(+style code)	60-1912-2424-(+style code)	60-1930-2424-(+style code)
36" x 48"	60-1913-3648-(+style code)	60-1914-3648-(+style code)	60-1912-3648-(+style code)	60-1930-3648-(+style code)
48" x 36"	60-1913-4836-(+style code)	60-1914-4836-(+style code)	60-1912-4836-(+style code)	60-1930-4836-(+style code)



Make site-specific signs on demand.

Every System Includes:

- > 5S Crash Cart
- > Visual Sign Pro sign making software
- > Vinyl Cutting Plotter
- > Sign Making Tools
- > Material kit to make 64 signs
- > Hundreds of sign templates and clipart
- > Technical support
- > Training
- > Manuals

Option
available to
include a
laptop!

Visual Sign Shop

Make high-impact signs at a
fraction of the cost. Save up to
75% when making vs. buying!

Calculate the HUGE Savings!

	12" x 12"	24" x 24"	24" x 36"
Buy it	\$13.25	\$43.80	\$65.70
Make It	\$2.59	\$10.65	\$15.54
Savings	\$10.66	\$33.15	\$50.16

Grede Castings in Iron Mountain, MI saved over \$15,000 in a 3-year period. They made over 400 signs for around \$4,000. Purchasing these same signs would have cost nearly \$20,000!

ITEM #	DESCRIPTION
90-1321	With laptop
90-1322	Without laptop
90-1301	With laptop, upgraded with the LabelTac® Pro X Label Printer



Floor Decals

Create a safe working environment!

Communicate important messages to employees and visitors with floor decals.

- Premium high bond material: 4 mil grip adhesive vinyl
- Laminated with durable 5 mil slip resistant vinyl
- Withstands heavy foot traffic
- Flexible for uneven surfaces
- Peel and stick onto smooth, oil-free, clean and dry surfaces



SIZE	ITEM #
12" Round	60-1609-RO12-(+style code)
17" Round	60-1609-RO17-(+style code)
14"h x 20"w	60-1609-1420-(+style code)



Slips

Slips occur when there is too little friction between feet and the walking or working surface.

Visit the website for wet floor signs too!



CUSTOMIZE IT FREE

Safety Signs

Self-Adhesive Vinyl Decal

SIZE	ITEM #
7" x 10"	60-1600-0710-(+style code)
10" x 14"	60-1600-1014-(+style code)

Plastic

SIZE	ITEM #
7" x 10"	60-1900-0710-(+style code)
10" x 14"	60-1900-1014-(+style code)

Aluminum

SIZE	ITEM #
7" x 10"	60-1910-0710-(+style code)
10" x 14"	60-1910-1014-(+style code)

Labels

PolyLabels

SIZE	ITEM #
3" x 5"	54-1600-0305-(+style code)

Slip Hazard Labels



C229
3x5 Label



C536
3x5 Label



C643
3x5 Label



W159
3x5 Label




SA487
3x5 Label



W171
3x5 Label



N213
3x5 Label



HK796
3x5 Label



SA484
3x5 Label



C531
3x5 Label



D340
3x5 Label



SA542
3x5 Label

Slip Hazard Signs



C462
Safety Sign



C416
Safety Sign



C504
Safety Sign



C512
Safety Sign



C528
Safety Sign



D109
Safety Sign



D577
Safety Sign



S212
Safety Sign



N207
Safety Sign



N209
Safety Sign



N216
Safety Sign



SA535
Safety Sign



W122
Safety Sign



W163
Safety Sign



W164
Safety Sign



W170
Safety Sign



SA520
Safety Sign



SA519
Safety Sign



SA534
Safety Sign



SA480
Safety Sign



W152
Safety Sign



N210
Safety Sign



C529
Safety Sign



C530
Safety Sign



SA479
Safety Sign

Trips

Trips occur when a foot hits an object and the person is moving with enough momentum to be thrown off balance.

**CUSTOMIZE IT
FREE**

Safety Signs

Self-Adhesive Vinyl Decal

SIZE	ITEM #
7" x 10"	60-1600-0710-(+style code)
10" x 14"	60-1600-1014-(+style code)

Plastic

SIZE	ITEM #
7" x 10"	60-1900-0710-(+style code)
10" x 14"	60-1900-1014-(+style code)

Aluminum

SIZE	ITEM #
7" x 10"	60-1910-0710-(+style code)
10" x 14"	60-1910-1014-(+style code)

Labels

PolyLabels

SIZE	ITEM #
3" x 5"	54-1600-0305-(+style code)

Trip Hazard Labels



C527
3x5 Label



SA492
3x5 Label



SA536
3x5 Label



W150
3x5 Label



W151
3x5 Label



W162
3x5 Label



D339
3x5 Label



N356
3x5 Label



N355
3x5 Label



SA490
3x5 Label



SA491
3x5 Label



C218
3x5 Label

Trip Hazard Signs



W132
Safety Sign



W102
Safety Sign



W114
Safety Sign



W161
Safety Sign



D106
Safety Sign



D341
Safety Sign



D342
Safety Sign



D114
Safety Sign



SA540
Safety Sign



SA539
Safety Sign



SA538
Safety Sign



SA742
Safety Sign



C642
Safety Sign



C640
Safety Sign



C636
Safety Sign



SA537
Safety Sign



N357
Safety Sign



N356
Safety Sign



N506
Safety Sign



C638
Safety Sign



C524
Safety Sign



C641
Safety Sign



D338
Safety Sign



W172
Safety Sign



N359
Safety Sign

Falls

Falls occur when a person loses balance, causing the body to move from an upright position to the floor or ground.



**CUSTOMIZE IT
FREE**

Safety Signs

Self-Adhesive Vinyl Decal

SIZE	ITEM #
7" x 10"	60-1600-0710-(+style code)
10" x 14"	60-1600-1014-(+style code)

Plastic

SIZE	ITEM #
7" x 10"	60-1900-0710-(+style code)
10" x 14"	60-1900-1014-(+style code)

Aluminum

SIZE	ITEM #
7" x 10"	60-1910-0710-(+style code)
10" x 14"	60-1910-1014-(+style code)

Labels

PolyLabels

SIZE	ITEM #
3" x 5"	54-1600-0305-(+style code)

Fall Hazard Labels



C218
3x5 Label



C534
3x5 Label



C535
3x5 Label



W160
3x5 Label



W169
3x5 Label



SA486
3x5 Label



D632
3x5 Label



D288
3x5 Label



SA485
3x5 Label



SA524
3x5 Label



SA523
3x5 Label



SA494
3x5 Label

Fall Hazard Signs



D303
Safety Sign



D615
Safety Sign



D107
Safety Sign



D110
Safety Sign



N212
Safety Sign



N214
Safety Sign



N211
Safety Sign



D111
Safety Sign



C485
Safety Sign



C538
Safety Sign



C532
Safety Sign



C635
Safety Sign



W153
Safety Sign



W154
Safety Sign



W155
Safety Sign



W156
Safety Sign



SA495
Safety Sign



SA541
Safety Sign



SA483
Safety Sign



SA497
Safety Sign



N382
Safety Sign



D108
Safety Sign



SA477
Safety Sign



SA478
Safety Sign



C525
Safety Sign



SA268



SA266



SA509



SA476




HK763



SA562

Motivational Safety Posters


Communicate any message on our durable poster material. Motivating employees and workers to keep safety first on their mind is key to a safe environment. Customize or pick from an in-stock design.



SA517



SA481



SA511



SA743



SA516



C526

Posters

SIZE	ITEM #
28"x 22"	45-175-2822-(+style code)

Banners

X-Frame Banners

The X-Frame Banner Stand is one of the most cost effective ways of free standing banners. This stand is lightweight, yet durable. The X-Frame holds graphics measuring 63" x 23.5". Finally, an effective way of displaying and promoting without having to burn a hole in the wallet!

Material Features

- Sturdy stand composed of plastic and aluminum
- 13 oz., smooth vinyl
- Metal grommets for easy banner changeover
- Cost-effective and durable
- Indoor use

Hanging Banners

Reinforce organization standards in a bold way with eye-catching banners! Each of our banners are available in horizontal or vertical format and can be customized at no extra cost.

Material Features

- Heavy-duty 13 oz. woven vinyl and nylon banner material. Other weights and colors available upon request.
- Fade resistant digital graphics
- Includes metal grommets for easy hanging
- Indoor/outdoor use

Banner / X-Frame Banner

SIZE	ITEM #
36" x 96"	60-45-3696-(+style code)
X-Frame 63" x 23.5"	60-45-6323-(+style code)



SA475
X-Frame



SA474
X-Frame



SA522
X-Frame



C520



SA754



SA507



HK105



SA543



SA521

Contributing Factors

What factors contribute to the reduction of workplace slips, trips & falls?

**CUSTOMIZE IT
FREE**

Safety Signs

Self-Adhesive Vinyl Decal

SIZE	ITEM #
7" x 10"	60-1600-0710-(+style code)
10" x 14"	60-1600-1014-(+style code)

Plastic

SIZE	ITEM #
7" x 10"	60-1900-0710-(+style code)
10" x 14"	60-1900-1014-(+style code)

Aluminum

SIZE	ITEM #
7" x 10"	60-1910-0710-(+style code)
10" x 14"	60-1910-1014-(+style code)

Labels

PolyLabels

SIZE	ITEM #
3" x 5"	54-1600-0305-(+style code)

Footwear



SA482
Safety Sign



D519
Safety Sign



N337
Safety Sign



SA512
Safety Sign



SA528
Safety Sign



W166
Safety Sign



PP684
3x5 Label



D289
3x5 Label



W157
3x5 Label



C634
3x5 Label


Safety Procedures



C407
Safety Sign



W167
Safety Sign



N218
Safety Sign



SA515
Safety Sign



W158
Safety Sign




D113
Safety Sign



HK103
Safety Sign



N220
Safety Sign



SA514
Safety Sign




SA488
3x5 Label



C637
3x5 Label



SA526
3x5 Label



N217
3x5 Label



SA525
3x5 Label

Good Housekeeping



SA493
Safety Sign



EM805
Safety Sign



HK696
Safety Sign



W168
Safety Sign



HK106
Safety Sign



HK107
Safety Sign



S238
Safety Sign



EQ737
Safety Sign



D112
3x5 Label



C537
3x5 Label



N219
3x5 Label



N201
3x5 Label



SA489
3x5 Label

Floor Tape

HIGH TRAFFIC PERFORMANCE!

Floor-Mark High Performance is the best choice to withstand tough conditions and heavy traffic in an industrial workplace.

- Recommended for floors with heavy traffic
- 14 mil ultra low profile prevents a tripping hazard and will not catch on vehicles
- Reinforced with "High Bond" acrylic pressure sensitive adhesive














Floor-Mark® High Performance Tape

LENGTH	ITEM #
2" x 100'	25-300-2100-(+color code)
3" x 100'	25-300-3100-(+color code)
4" x 100'	25-300-4100-(+color code)






Floor-Mark® High Performance Floor Symbols

Select from many standard shapes. Custom shapes are available at no extra charge.

Floor-Mark High Performance Floor Symbols

DESCRIPTION	ITEM #
 Corner, Round, 6"x4"x2", 20 pcs	25-3001-6-(+color code)
 Corner, Round, 6"x6"x2", 20 pcs	25-3007-R6-(+color code)
 Corner, Square, 6"x6"x2", 20 pcs	25-3007-S6-(+color code)
 Footprints, 10", 20 pcs	25-3000-10H-(+color code)
 T's, Round, 5"x5"x2", 20 pcs	25-3008-6-(+color code)
 T's, Round, 6"x6"x2", 20 pcs	25-3008-R6-(+color code)
 T's, Square, 6"x6"x2", 20 pcs	25-3008-S6-(+color code)
 X's, Square, 6"x4"x2", 20 pcs	25-3003-6-(+color code)
 X's, Round, 6"x6"x2", 20 pcs	25-3003-R6-(+color code)
 X's, Square, 6"x6"x2", 20 pcs	25-3003-S6-(+color code)
 Arrows, 12", 20 pcs	25-3001-12-(+color code)
 Arrows, 6", 20 pcs	25-3001-6-(+color code)
 Circles, 3", 20 pcs.	25-3009-3R-(+color code)

Floor-Mark High Performance Color Options:

				
601 White	614 Green	618 Yellow	623 Red	634 Blue




Withstands tough conditions and heavy traffic in an industrial workplace.



Reflective Floor-Mark® Tape

Provides bounce-back reflectivity for improved visibility. Use on vehicles, poles, buildings & fences.



Color Options:

634 Blue	618 Yellow	614 Green	623 Red	628 Orange	603 Black	601 White

SIZE	ITEM #
2" x 30'	25-800-2030-(+color code)
3" x 30'	25-800-3030-(+color code)

Traffic Safety Cones

Bright, colorful cones offer high visibility indoor or outdoor. Easy to stack and carry. Ideal for color-coding visual management communications.



18" Cone Color Options

608 Blue	618 Yellow	628 Orange	641 Lime

18" Traffic Cone

- Material: PVC
- Indoor/outdoor

DESCRIPTION	ITEM #
18" Traffic Cone, 10 pcs	85-1401-0018-(+color code)

Barricade Tape

Barricade Tape is the perfect short-term solution to quickly block off restricted areas for increased safety. It's highly durable, has UV resistant ink, remains flexible in cooler temperatures and is non-toxic and non-flammable.

Features:

- Lightweight, non-adhesive polyethylene
- Length: 1000 ft. with repeating message on one side
- Thickness: 2.0 mil
- Width: 3"

Barricade Tape

ITEM #
85-1400-31000-(+style code)



CAUTION
C000



CAUTION/CAUIDADO
C005



DANGER
D000



DANGER/PELIGRO
D005



DANGER DO NOT ENTER
D608

A-Frame Signs

Our A-Frame signs are heavy duty and fold flat for easy storage. Sign inserts are purchased separately and printed double-sided to create flexible messaging.

- Indoor/outdoor use
- Change signs in seconds
- Signs easily slide in and out
- Use with 4 mm corrugated plastic inserts
- Molded polyethylene plastic for lasting durability



A-Frame Fold-Up Stand

SIZE	ITEM #
18" x 24"	85-1402-1824-601

A-Frame Sign Inserts

SIZE	ITEM #
18" x 24"	60-1904-1824-(+style code)



SA527



SA533



SA531



SA529



SA532



W165



SA530



LabelTac® Printer

LabelTac® printers are versatile and tough for industrial environments. Label supplies are resistant to tears, water, UV and chemicals. Each system includes LabelSuite™ software to create a variety of industrial signage.

- OSHA Compliance/Safety
- Pipe Marking
- Rack/Barcode Labeling
- Warehouse/Facility
- Equipment Labeling
- 5S & Lean
- GHS/HazCom
- Arc Flash
- Wire Marking
- Lockout/Tagout



LabelSuite™ software is included with each system and makes designing labels and signs easy!

LabelTac® Pro X Printer

Desktop Industrial Label Printer

The LabelTac® Pro X is a compact, industrial label printer featuring a rugged chassis, color LCD screen, built-in Ethernet connectivity and effortless supply loading.

System includes:

- LabelSuite® print software, drivers and cables
- Templates and industrial symbol library
- One starter print ribbon
- User guide

Features/Benefits

- Indoor/outdoor supplies
- Prints up to 4" width
- Print speed up to 6"/second
- Full lifetime transferable warranty
- Metal chassis with 3.5" color LCD display
- Connects to PC with USB 2.0 or Ethernet



Rugged chassis with color LCD display



Loading supplies is easy!

ITEM #	DESCRIPTION
13-1820	LabelTac® Pro X Printer



(877) 523-4088
visualworkplaceinc.com
info@visualworkplaceinc.com
7381 Ardith Ct., Byron Center, MI 49315

Follow us!

